The GRS Magnablock will provide many years of trouble-free service. It is extremely rugged in construction, yet is relatively simple and easy to maintain. Required lubrication is minimal.

The jaw adapter plates are drilled to accept engraving block attachments. GRS offers the 520 Attachment Set (#003-520) that includes storage for the adapter plates and pins that come with the block.

Maintenance

Based on usage, open jaws fully and clean the dirt and metal pieces from the threads. After cleaning, apply a small amount of light oil to the threads. To disassemble, remove the Ball Swivel Tension Screw and Spring from the side of the ball. Grasp the Crown Assembly and carefully lift the Crown.




FIG. 1

Vise Jaw Thread Replacement • #003-627 & #003-628

Overtightening the jaws will cause wear and damage to the threads. If jaws become loose, replace with kit #003-627. Remove the jaws by opening them as wide as possible until they come off the end of the jaw screw (FIG. 1). The jaw thread pin is located on the underside of each jaw. NOTE: Before removing pins, locate the one with the "L". This is the left hand thread pin and will need to replaced with the same. Apply a small amount of grease (included in kit) to the O-rings and jaw screw before installing them. Lift the jaw screw out of the yoke and replace it. Note which side the left hand thread is on. Grease the threads and yoke well.

Start the jaw threads at the same time when replacing them **(FIG. 2)**. Hold each jaw in position and turn the jaw screw to close them. Either a large rubber band or a second person is useful to hold the jaws against the thread while the jaw screw is turned. If the jaws don't meet at the same time in the center, remove them and try starting the threads at the same time again.

Jaw Thread Pin one located in each jaw "L" For Left Hand Thread FIG. 2 Jaw Screw

Jaw





FIG. 3 Spring Tension Screw Lock Pin #003-046



Rotational Lock Replacement


The LOCK or DRAG PIN is subject to wear and may need replacement after extended use. Simply remove the ball swivel tension screw with the hex wrench. The Spring and Lock Pin should follow (**FIG. 3**). If not, turn the ball until they fall out. Replace the Lock Pin (#003-046), Spring, and Tension Screw.

Turntable Base For Microscope Work • #003-616-V2

To use the Turntable Base, lock the vise by tightening the swivel tension screw until the ball will not turn. The turntable now becomes the means of rotation, allowing the work to be centered in the field of view of the microscope. Align the center of the turntable with the center of the microscope view (FIG. 4). Change working views by repositioning the vise.

Thread Pin Replacement Kit • #003-627

Includes Jaw Screw, Left and Right Thread Pins, O-Rings, and Tube of Grease.



GRS Magnablock Ball Vise Complete Assembly #003-021

	PART#	
1	003-009	3
2		
3	002-127	3
4	003-065	Pin - Right Hand
5	003-064	Pin - Left Hand
6	003-007	Screw Post
7	003-045	Post
8	003-044	Block Crown S.S.
9	002-238	Thrust Washer
10	002-212	Bearing 5/8 x 1/2
11	003-037	Spacer
12	002-214	Washer - 0.312" x 0.859" x 0.125"
	002-112	
14	002-213	
15	002-088	Bearing, 0.078" THK
16	002-089	Bearing Race, 0.031" THK
17	003-036	Block Base S.S.
18	003-046	Lock Pin
19	003-020	- 1- 3/
20	003-067	1/2-13 UNC x 1/2" SHSS
	003-506	Tire Assembly (21 & 22)
21	002-090	Tire
22	002-209	Fastener - Push-In
23	003-508	Pin Plate - 1 pin
24	003-507	·
25	003-015	Jaw Pin - 1/4"
26		
27	002-091	Wrench - 1/4" T-Handle Hex
28	003-661	1/4" Hex Drive Knob

